

G Russell Coope: list of publications

1956

Coope, G. R. (1956) The insertion of septa in the later growth stages of Clisiophyllid corals. *Geological Magazine*, **93**: 233-241.

1957

Coope, G. R. (1957). The insertion of septa in the later growth stages of *Palaeosmilia murchisoni* (Edwards & Haime). *Geological Magazine*, **94**: 465-471.

1958

Franks, J. W., Sutcliffe, A. J., Kerney, M. P. & Coope, G. R. (1958) Haunt of elephant and rhinoceros: the Trafalgar Square of 100,000 years ago - new discoveries. *Illustrated London News*, (1958), 1101-1103.

1959

Coope, G. R. (1959). A Late Pleistocene insect fauna from Chelford, Cheshire. *Proceedings of the Royal Society of London*, **B151**: 70-86.

1961

Coope, G. R. (1961) On the study of glacial and interglacial insect faunas. *Proceedings of the Linnean Society of London*, **172**: 62-65.

Coope, G. R., Shotton, F. W. & Strachan, I. (1961). A Late Pleistocene fauna and flora from Upton Warren, Worcestershire. *Philosophical Transactions of the Royal Society of London*, **B244**: 379-421.

1962

Coope, G. R. (1962) Coleoptera from a peat interbedded between two boulder clays at Burnhead near Airdrie. *Transactions of the Geological Society of Glasgow*, **24**: 279-286.

Coope, G. R. (1962) A Pleistocene coleopterous fauna with arctic affinities from Fladbury, Worcestershire. *Quarterly Journal of the Geological Society of London*, **118**: 103-123.

1963

Coope, G. R. & Sands, C. H. S. (1963) The discovery, in British Pleistocene deposits, of the extinct species, *Helophorus wandereri* d'Orch. *Opuscula Entomologica*, **28**: 94-96.

Coope, G. R. (1963). The Occurrence of the Beetle *Hydromedion sparsutum* (Müll.) in a peat profile from Jason Island, South Georgia. *British Antarctic Survey Bulletin*, **1**: 25-26.

1965

Coope, G. R. (1965) Fossil insect faunas from Late Quaternary deposits in Britain. *Advancement of Science*, **March, 1965**, 564-575.

Coope, G. R. (1965) The response of the British insect fauna to Late Quaternary climatic oscillations. *Proceedings of the XIII International Congress of Entomologists, London*, 444-445.

1966

Coope, G. R. & Sands, C. H. S. (1966) Insect faunas of the last glaciation from the Tame Valley, Warwickshire. *Proceedings of the Royal Society of London*, **B165**: 389-412.

1967

Coope, G. R. (1967) The value of Quaternary insect faunas in the interpretation of ancient ecology and climate. In, E. J. Cushing & H. E. Wright, Jnr. (eds.) *Quaternary Paleoecology*, 359-380. (Proceedings of VII INQUA Congress, 7), Yale U.P., New Haven.

1968

Coope, G. R. (1968) Insect Remains from Silts Below Till at Garfield Heights, Ohio. *Bulletin of the Geological Society of America*, **79**: 753-756.

Coope, G. R. (1968) Coleoptera from the "Arctic Bed" at Barnwell Station, Cambridge. *Geological Magazine*, **105**: 482-486.

Coope, G. R. (1968) An insect fauna from Mid-Weichselian deposits at Brandon, Warwickshire. *Philosophical Transactions of the Royal Society of London*, **B254**: 425-456.

Coope, G. R. (1968) Fossil beetles collected by James Bennie from Late Glacial silts at Corstorphine, Edinburgh. *Scottish Journal of Geology*, **4**: 339-348.

Coope, G. R. & Osborne, P. J. (1968). Report on the Coleopterous Fauna of the Roman Well at Barnsley Park, Gloucestershire. *Transactions of the Bristol and Gloucestershire Archaeological Society*, **86**: 84-87.

1969

- Coope, G. R. (1969) Insect remains from Mid Weichselian Deposits at Peelo, The Netherlands. *Mededelingen Rijks Geologische Dienst*, (N. S.), **20**: 79-83.
- Coope, G. R. (1969) Interprétations climatiques des Coléoptères 'Late Weichselian' dans les Iles Britanniques. *Abstracts, VIII Congress Inqua, Paris, 1969*, 146. Paris.
- Coope, G. R. (1969). The contribution that the Coleoptera of Glacial Britain could have made to the subsequent colonisation of Scandinavia. *Opuscula Entomologica*, **34**: 95-108.
- Coope, G. R. (1969) The response of Coleoptera to gross thermal changes during the Mid Weichselian interstadial. *Mitteilungen der Internationalen Vereinigung für theoretische und angewandte Limnologie*, **17**: 173-183.
- Penny, L. F., Coope, G. R. & Catt, J. A. (1969). Age and insect fauna of the Dimlington Silts, East Yorkshire. *Nature*, **224**: 65-67.
- 1970**
- Coope, G. R. (1970) Interpretations of Quaternary insect fossils. *Annual Review of Entomology*, **15**: 97-120.
- Coope, G. R. (1970) Climatic interpretations of Late Weichselian Coleoptera from the British Isles. *Revue de géographie physique et de géologie dynamique*, **12**: 149-155.
- Gaunt, G. D., Coope, G. R. & Franks, J. W. (1970). Quaternary deposits at Oxbow opencast coal site in the Aire Valley, Yorkshire. *Proceedings of the Yorkshire Geological Society*, **38**: 175-200.
- 1971**
- Coope, G. R. (1971) The fossil coleoptera from Glen Ballyre and their bearing upon the interpretation of Late Glacial environments. In, G. P. S. Thomas (ed.) *Field Guide to the Isle of Man*, 13-15. Quaternary Research Association, Liverpool.
- Coope, G. R. (1971) Insecta. In, E. A. Colhoun & G. F. Mitchell, Interglacial Marine Formation and Lateglacial Freshwater Formation in Shortallstown Townland, Co. Wexford. *Proceedings of the Royal Irish Academy*, **71**: 234-238.
- Coope, G. R., Morgan, A. & Osborne, P. J. (1971) Fossil Coleoptera as indicators of climatic fluctuations during the last glaciation in Britain. *Palaeogeography, Palaeoclimatology, Palaeoecology*, **10**: 87-101.
- Lindroth, C. H. & Coope, G. R. (1971) Appendix 2. The insects from the interglacial deposits at Leveäniemi. *Sveriges geologiska undersökning. Afhandlingar och Uppsatser*, **C658**: 44-55.
- 1972**
- Bell, F. G., Coope, G. R., Rice, R. J. & Riley, D. H. (1972) Mid-Weichselian Fossil-Bearing Deposits at Syston, Leicestershire. *Proceedings of the Geologists' Association*, **83**: 197-211.
- Coope, G. R. & Brophy, J. A. (1972). Late Glacial environmental changes indicated by a coleopteran succession from North Wales. *Boreas*, **1**: 97-142.
- Gaunt, G. D., Coope, G. R., Osborne, P. J. & Franks, J. W. (1972). *An interglacial deposit near Austerfield, southern Yorkshire*. London, HMSO.
- 1973**
- Coope, G. R. (1973). Tibetan Species of Dung Beetle from Late Pleistocene Deposits in England. *Nature*, **245**: 335-336.
- Coope, G. R. (1973). The ancient world of "Megaceros". *Deer*, **2**: 974-977.
- 1974**
- Coope, G. R. (1974). Interglacial coleoptera from Bobbitshole, Ipswich, Suffolk. *Journal of the Geological Society of London*, **130**: 333-340.
- Coope, G. R. (1974) Report on the Coleoptera from Wretton. In, R. G. West, C. A. Dickson, J. A. Catt, A. H. Weir & B. W. Sparks, Late Pleistocene deposits at Wretton, Norfolk. II. Devensian deposits. *Philosophical Transactions of the Royal Society of London*, **B267**: 414-418.
- Ullrich, W. G. & Coope, G. R. (1974) Occurrence of the east palaearctic beetle *Tachinus jacuticus* Poppius (Col. Staphylinidae) in deposits of the Last glacial period in England. *Journal of Entomology*, **B42**: 207-212.
- 1975**
- Briggs, D. J., Coope, G. R. & Gilbertson, D. D. (1975) Late Pleistocene terrace deposits at Beckford, Worcestershire, England. *Geological Journal*, **10**: 1-16.
- Coope, G. R. (1975) Climatic fluctuations in northwest Europe since the Last Interglacial, indicated by fossil assemblages of Coleoptera. In, A. E. Wright & F. Moseley (eds.) *Ice Ages: Ancient and Modern*, 153-168. (Geological Journal Special Issue **6**). Seel House Press, Liverpool.

- Coope, G. R. (1975) Mid-Weichselian Climatic Changes in Western Europe, Re-interpreted from Coleopteran Assemblages. In, R. P. Suggate & M. M. Cresswell (eds.) *Quaternary Studies*, 101-108. The Royal Society of New Zealand, Wellington.
- Coope, G. R. & Angus, R. B. (1975) An ecological study of a temperate interlude in the middle of the last glaciation, based on fossil Coleoptera from Isleworth, Middlesex. *Journal of Animal Ecology*, **44**: 365-391.

1976

- Coope, G. R. (1976) Assemblages of fossil Coleoptera from terraces of the Upper Thames near Oxford. In, D. Roe (ed.) *Field Guide to the Oxford Region*, 20-23. Quaternary Research Association, Oxford.

1977

- Bishop, W. W. & Coope, G. R. (1977). Stratigraphical and faunal evidence for Lateglacial and early Flandrian environments in South-West Scotland. In, J. M. Gray & J. J. Lowe, (eds.) *Studies in the Scottish Lateglacial Environment*, 61-88. Pergamon, Oxford.
- Coope, G. R. (1977) Quaternary Coleoptera as aids in the interpretation of environmental history. In, F. W. Shotton (ed.) *British Quaternary Studies*, 55-68. Oxford University Press, Oxford.
- Coope, G. R. (1977) Coleoptera as clues to the understanding of climatic changes in North Wales towards the end of the last (Devensian) Glaciation. *Cambria*, **4**: 65-72.
- Coope, G. R. (1977) Fossil coleopteran assemblages as sensitive indicators of climatic changes during the Devensian (Last) cold stage. *Philosophical Transactions of the Royal Society of London*, **B280**: 313-337.
- Coope, G. R. (1977) Lateglacial environment in Britain: a miniature glacial/interglacial cycle. *Journal of the Geological Society*, **134**: 405-406.
- Coope, G. R. & Pennington, W. (1977) The Windermere Interstadial of the Late Devensian. *Philosophical Transactions of the Royal Society of London*, **B280**: 337-339.
- Coope, G. R. (1977) Lateglacial environment in Britain: a miniature glacial/interglacial cycle. *Journal of the Geological Society*, **134**: 405-6.
- Damblon, F., Coope, G. R. & Osborne, P. J. (1977) Palaeoecological studies of peat bogs in the High Ardenne. *Proceedings of X INQUA Congress, Birmingham*, 101, Geobooks, Norwich.

1978

- Coope, G. R. (1978) Late-glacial deposits of Cumbria: St. Bees. In, F. Moseley (ed.) *The Geology of the Lake District*, 218. Yorkshire Geological Society, Leeds.
- Coope, G. R. (1978) Constancy of insect species versus inconstancy of Quaternary environments. In, L. A. Mound & N. Waloff (eds.) *Diversity of Insect Faunas*, 176-187. (Symposia of the Royal Entomological Society of London, **9**) Blackwell, Oxford.

1979

- Coope, G. R. (1979) The Carabidae of the Glacial Refuge in the British Isles and their contribution to the Post Glacial colonization of Scandinavia and the North Atlantic Islands. In, T. L. Erwin, G. E. Ball & D. R. Whitehead (eds.) *Carabid Beetles, their evolution, natural history and classification*, 407-424. Junk, The Hague.
- Coope, G. R. (1979) Coleoptera analysis. In, B. E. Berglund (ed.) *Palaeohydrological Changes in the Temperate Zone in the last 15,000 Years*, **BII. Specific Methods**, 315-328.
- Coope, G. R. (1979) Late Cenozoic fossil Coleoptera: evolution, biogeography and ecology. *Annual Review of Ecology and Systematics*, **10**: 247-267.
- Coope, G. R. (1979) Fauna. In J. Lundquist, New information about Early and Middle Weichselian interstadials in North Sweden. *Sveriges geologiska undersökning. Afhandlingar och Uppsatser*, **C752**: 18-21.
- Coope, G. R., Dickson, J. H., McCutcheon, J. A. & Mitchell, G. F. (1979) The Lateglacial and Early Postglacial Deposit at Drumurcher, Co. Monaghan. *Proceedings of the Royal Irish Academy*, **B79**: 63-85.

1980

- Atkinson, T. C., Briffa, K R., & Peck, R. M (1980) Numerical reconstruction of Late Pleistocene climates in Britain by the 'mutual range' methods. *International Geological Congress , Paris, Abstracts*, **2**, 633.
- Coope, G. R. (1980) The climate of England during the Devensian glacial maximum: evidence from Coleoptera. *Quaternary Newsletter*, **30**: 11-13.

- Coope, G. R. (1980) Appendix 1. Coleoptera from Late Glacial and Early Flandrian deposits at Folkestone. *Philosophical Transactions of the Royal Society of London*, **B291**: 38-39.
- Coope, G. R. & Joachim, M. J. (1980) Lateglacial environmental changes interpreted from fossil Coleoptera from St. Bees, Cumbria, N.W. England. In, J. J. Lowe, J. M. Gray & J. E. Robinson (eds.) *Studies in the Lateglacial of North-West Europe*, 55-68. Pergamon, Oxford.
- Coope, G. R., Jones, R. L. & Keen, D. H. (1980) The palaeoecology and age of peat at Fliquet Bay, Jersey, Channel Islands. *Journal of Biogeography*, **7**: 187-195.
- Rose, J., Turner, C., Coope, G. R. & Bryan, M. D. (1980). Channel changes in a lowland river catchment over the last 13,000 years. In, R. A. Cullingford, D. A. Davidson, & J. Lewin (eds.) *Timescales in Geomorphology*, 159-175. J. Wiley & Sons, Chichester.
- 1981**
- Coope, G. R. (1981) Episodes of local extinction of insect species during the Quaternary as indicators of climatic changes. In, J. Neale & J. Flenley (eds.) *The Quaternary in Britain*, 216-221. Pergamon, Oxford.
- Coope, G. R. (1981). Report on the Coleoptera from an eleventh-century house at Christ Church Place, Dublin. In, H. Bekker-Nielson, P. Foote, & O. Olsen (eds.) *Proceedings of the Eighth Viking Congress (1977)*, 51-56. Odense University Press.
- Helle, M., Sonstegaard, E., Coope, G. R. & Rye, N. (1981). Early Weichselian peat at Brumunddal, southeastern Norway. *Boreas*, **10**: 369-379.
- 1982**
- Coope, G. R. (1982) Appendix. Caddis fly larval remains from the silty clay at Isleworth. In, M. P. Kerney, P. L. Gibbard, A. R. Hall & J. E. Robinson, Middle Devensian river deposits beneath the 'Upper Floodplain' terrace of the River Thames at Isleworth, West London. *Proceedings of the Geologists' Association*, **93**: 392.
- Coope, G. R. (1982) Comments upon the fossil insect fauna from Ecalgrain. In, J.-P. Lautridou (ed.) *The Quaternary of Normandy*, 78-79. (Field Handbook, Normandy Field Meeting, May-June 1982) Quaternary Research Association.
- Coope, G. R. (1982). Coleoptera from two Late Devensian sites in the Lower Colne Valley, West London, England. *Quaternary Newsletter*, **38**: 1-6.
- Gibbard, P. L., Coope, G. R., Hall, A. R., Preece, R. C. & Robinson, J. E. (1982) Middle Devensian deposits beneath the 'Upper Floodplain' terrace of the River Thames at Kempton Park, Sunbury, England. *Proceedings of the Geologists' Association*, **93**: 275-289.
- Nelson, R. E. & Coope, G. R. (1982) A Late-Pleistocene insect fauna from Seattle, Washington. *Abstracts, 7th. biennial meeting, American Quaternary Association Conference*, Seattle, Washington, 146.
- 1983**
- Coope, G. R. & Tallon, P. (1983) A Full Glacial insect fauna from the Lea Valley, Enfield, North London. *Quaternary Newsletter*, **40**: 7-10.
- Shotton, F. W. & Coope, G. R. (1983). Exposures in the Power House Terrace of the River Stour at Wilden, Worcestershire, England. *Proceedings of the Geologists' Association*, **94**: 33-44.
- Worsley, P., Coope, G. R., Good, T. R., Holyoak, D. T. & Robinson, J. E. (1983) A Pleistocene succession from beneath Chelford Sands at Oakwood Quarry, Chelford, Cheshire. *Geological Journal*, **18**: 307-324.
- 1984**
- Aalto M. M., Coope, G. R. & Gibbard, P. L. (1984) Late Devensian river deposits beneath the Floodplain Terrace of the River Thames at Abingdon, Berkshire, England. *Proceedings of the Geologists' Association*, **95**: 65-79.
- Green, C. P., Coope, G. R., Curren, A. P., Holyoak, D. T., Ivanovich, M., Jones, R. L., Keen, D. H., McGregor, D. F. M. & Robinson, J. E. (1984) Evidence of two temperate episodes in Late Pleistocene deposits at Marsworth, U.K. *Nature*, **309**: 778-781.
- 1985**
- Briggs, D. J., Coope, G. R. & Gilbertson, D. D. (1985). *The chronology and environmental framework of early man in the Upper Thames Valley*. Oxford, British Archaeological Reports **137**.
- Buckland, P. C. & Coope, G. R. (1985) *A Bibliography and Literature Review of Quaternary Entomology*. Department of Geography, University of Birmingham, Working Paper **20**.
- Coope, G. R. (1985) Étude des coléoptères inclus dans la tourbe découverte dans le rempart d'un vivier de la Konnerzvenn. *Hautes Fagnes*, fasc. **179**: 74.

Coope, G. R., Jones, R. L., Keen, D. H. & Waton, P. V. (1985) The flora and fauna of Late Pleistocene deposits in St. Aubins Bay, Jersey, Channel Islands. *Proceedings of the Geologists' Association*, **96**: 315-324.

Taylor, B. J. & Coope, G. R. (1985) Arthropods in the Quaternary of East Anglia - their role as indices of local palaeoenvironments and regional palaeoclimates. *Modern Geology*, **9**: 159-185.

1986

Atkinson, T. C., Briffa, K. R. & Coope, G. R. (1986) Reconstruction of Late Glacial climates from Coleoptera using the Mutual Climatic Range Method. In, W. H. Berger & L. D. Labeyrie (eds.), *The Book of Abstracts and Reports from the Conference on Abrupt Climatic Change (NATO/NSF)*, 56-59. Scripps Institute of Oceanography Reference Series, University of California.

Atkinson, T. C., Briffa, K. R., Coope, G. R., Joachim, J. M. & Perry, D. W. (1986) Climatic calibration of coleopteran data. In, B. E. Berglund (ed.) *Handbook of Holocene Palaeoecology and Palaeohydrology*, 851-858. J. Wiley & Sons, Chichester.

Coope, G. R. (1986). The invasion and colonization of the North Atlantic islands: a palaeoecological solution to a biogeographical problem. *Philosophical Transactions of the Royal Society of London*, **B314**: 619-635.

Coope, G. R. (1986). Coleoptera analysis. In, B. E. Berglund (ed.) *Handbook of Holocene Palaeoecology and Palaeohydrology*, 703-713. J. Wiley & Sons, Chichester.

Coope, G. R. (1986) Evidence from insect fossils for sudden and intense climatic changes during the last 45,000 years. In, W. H. Berger & L. D. Labeyrie. *The Book of Abstracts and Reports from the Conference on Abrupt Climatic Change (NATO/NSF)*, 90-92. Scripps Institute of Oceanography, Reference Series, University of California.

Coope, G. R., Dickson, J. H., Jones, R. L. & Keen, D. H. (1986) Late Pleistocene Palaeoenvironments of the Channel Islands and Lower Normandy. *Bulletin de l'Association française pour l'étude du Quaternaire*, **1986-1/2**: 110-114.

1987

Atkinson, T. C., Briffa, K. R. & Coope, G. R. (1987) Seasonal temperatures in Britain during the last 22,000 years. *Nature*, **325**: 587-592.

Barber, K. E. & Coope, G. R. (1987) Climatic History of the Severn Valley during the last 18,000 years. In, K. J. Gregory, J. Lewin, & J. B. Thornes (eds.) *Palaeohydrology in Practice*, 201-216. J. Wiley & Sons, Chichester.

Bohncke, S., Vvandenbergh, J., Coope, G. R. & Reiling, R. (1987) Geomorphology and palaeoecology of the Mark valley (southern Netherlands): palaeoecology, palaeohydrology and climate during the Weichselian Late Glacial. *Boreas*, **16**: 69-85.

Coope, G. R. (1987) The response of Late Quaternary insect communities to sudden climatic changes. In, J. H. R. Gee & P. S. Giller (eds.) *Organisation of Communities - Past and Present*, 421-438. Blackwell Scientific Publications, Oxford.

Coope, G. R. (1987) Quaternary entomology; retrospect and prospect. *International Union for Quaternary Research XII international Congress: Program with Abstracts*, 147. Ottawa.

Coope, G. R. (1987) Harmonious insect assemblages in a hostile Quaternary world. *International Union for Quaternary Research XII international Congress: Program with Abstracts*, 148. Ottawa.

Coope, G. R. (1987) Fossil beetle assemblages as evidence of sudden and intense climatic changes in the British Isles during the last 45,000 years. In, W. H. Berger & L. D. Labeyrie (eds.) *Abrupt climatic change*, 147-150. Reidel, Dordrecht.

Coope, G. R. & Beesley, A. R. (1987). How warm was the Ipswichian interglacial: evidence from insect assemblages. *International Union for Quaternary Research XII international Congress: Program with Abstracts*, Ottawa.

Coope, G. R. & Lister, A. M. (1987) Late-glacial mammoth skeletons from Condoover, Shropshire, England. *Nature*, **330**: 472-474.

Coope, G. R., Dickson, J. H., Jones, R. L. & Keen, D. H. (1987) The flora and fauna of late Pleistocene deposits on the Contentin Peninsula, Normandy. *Philosophical Transactions of the Royal Society of London*, **B315**: 231-265.

McCabe, A. M., Coope, G. R., Gennard, D. E. & Doughty, P. (1987) Freshwater organic deposits and stratified sediments between Early and Late Midlandian (Devensian) till sheets at Aghnadarragh, County Antrim, Northern Ireland. *Journal of Quaternary Science*, **2**: 11-34.

1988

- Coope, G. R. (1988) Lateglacial climates in northwestern Europe interpreted from beetle assemblages. *Program & Abstracts of the 10th biennial meeting of the American Quaternary Association*, **10**: 16. Amherst.
- Coope, R. (1988) The Condover mammoths. *Proceedings of the Shropshire Geological Society*, **7**: 20–21. **1989**
- Coope, G. R. (1989) Coleoptera from the Lower Channel, Brandon. In, D. H. Keen (ed.) *West Midlands Field Guide*, 27-28. Quaternary Research Association, Cambridge.
- van Geel, B., Coope, G. R. & van der Hammen, T. (1989). Palaeoecology and stratigraphy of the Lateglacial type section at Usselo (The Netherlands). *Review of Palaeobotany and Palynology*, **60**: 25-129.
- 1990**
- Coope, G. R. (1990) The invasion of Northern Europe during the Pleistocene by Mediterranean species of Coleoptera. In, F. di Castri, A. J. Hansen & M. Debussche (eds.) *Biological Invasions in Europe and the Mediterranean Basin*, 203-215. Kluwer, Dordrecht.
- Merritt, J. W., Coope, G. R., Taylor, B. J. & Walker, M. J. C. (1990) Late Devensian organic deposits beneath till in the Teith Valley, Perthshire. *Scottish Journal of Geology*, **26**: 15-24.
- Ponel, P. & Coope, G. R. (1990) Lateglacial and Early Flandrian Coleoptera from La Taphanel, Massif Central, France: Climatic and Ecological Implications. *Journal of Quaternary Science*, **5**: 235-249.
- 1991**
- Buckland, P. C. & Coope, G. R. (1991) *A Bibliography and Literature Review of Quaternary Entomology*. Sheffield, J Collis Publications, University of Sheffield.
- Cook, J., Ashton, N., Coope, G. R., Hunt, C.O., Lewis, S.G. & Rose, J. (1991) High Lodge, Mildenhall, Suffolk. In, S. G. Lewis et al. (eds.) *Central East Anglia and the Fen Basin: field guide*, 59-69. Quaternary Research Association, Cambridge.
- Coope, G. R. (1991) Coleoptera. In, A. Horton, D. H. Keen & N. D. W. Davey, Hicks No. 1 Brickyard, Fletton, Peterborough (TL 190956). In, S. G. Lewis, C. A. Whiteman & D. R. Bridgland (eds.) *Central East Anglia & the Fen Basin*. Field Guide, 163-171. Quaternary Research Association, Cambridge.
- Coope, G. R. (1991) The study of the "nearly-fossil". *Antenna*, **15**: 158-163.
- Coope, G. R. & Taylor, B. J. (1991) Coleoptera from the Balderton Sand and Gravel. In, A Brandon & M. G. Sumner, The Balderton Sand and Gravel; pre-Ipswichian cold stage fluvial deposits near Lincoln, England. *Journal of Quaternary Science*, **6**: 130-133.
- Davey, N. D. W., Bridgland, D. R., Keen, D. H., Coope, G. R., Seddon, M. B. & Holyoak, D. (1991) Maxey gravel pit, near Peterborough TF1307. In, S. G. Lewis et al. (eds.) *Central East Anglia and the Fen Basin: field guide*, 185-208. Quaternary Research Association, Cambridge.
- Coope, G. R., Dickson, J. H., Jones, R. L. & Keen, D. H. (1987) The flora and fauna of late Pleistocene deposits on the Contentin Peninsula, Normandy. *Philosophical Transactions of the Royal Society of London*, **B315**: 231-265.
- 1992**
- Horton, A., Keen, D. H., Field, M. H., Robinson, J. E., Coope, G. R., Currant, A. P., Graham, D. K., Green, C. P. & Phillips, L. M. (1992) The Hoxnian Interglacial deposits at Woodston, Peterborough. *Philosophical Transactions of the Royal Society of London*, **338**: 131-164.
- Rogerson, R. J., Keen, D. H., Coope, G. R., Robinson, E., Dickson, J. H. & Dickson, C. A. (1992) The fauna, flora and palaeoenvironmental significance of deposits beneath the low terrace of the River Great Ouse at Radwell, Bedfordshire, England. *Proceedings of the Geologists' Association*, **103**: 1-13.
- Walker, M. J. C., Merritt, J. W., Auton, C. A., Coope, G. R., Field, M. H., Heijnis, H. & Taylor, B. J. (1992) Allt Odhar and Dalcharn: two pre-Late Devensian / Late Weichselian sites in northern Scotland. *Journal of Quaternary Science*, **7**: 69-86.
- 1993**
- Coope, G. R. (1993). Late-Glacial (Anglian) and Late-Temperate (Hoxnian) Coleoptera. In, R. Singer, B. G. Gladfelter & J. J. Wymer, *The Lower Palaeolithic Site at Hoxne, England*, 156-162. University of Chicago Press, Chicago.
- Coope, G. R. (1993). Frederick William Shotton, 8 October 1906 - 21 July 1990. *Biographical Memoirs of the Fellows of the Royal Society of London* (**1993**): 419-432.

- Atkinson, T. C., Briffa, K. R. & Coope, G. R. (1993) The thermal climate in lateglacial Britain. *Quaternary Newsletter*, **69**: 97.
- Cappers, R. T. J., Bosch, J. H. A., Bottema, S., Coope, G. R., Geel, B. van, Mook-Kamps, E. & Woldring, H. (1993) De reconstructie van het landschap. In, W. A. B. van der Sanden, R. T. J. Cappers, J. R. Beuker & D. Mol (eds.) *Mens en mammoet. De mammoeten van Orvelte en de vroegste van Noord-Nederland*, 27-41. Drents Museum.
- Shotton, F. W., Keen, D. H., Coope, G. R., Currant, A. P., Gibbard, P. L., Aalto, M., Peglar, S. M. & Robinson, J. E. (1993) The Middle Pleistocene deposits of Waverley Wood Pit, Warwickshire, England. *Journal of Quaternary Science*, **8**: 293-325.
- Walker, M. J., Coope, G. R. & Lowe, J. J. (1993) Late glacial climatic gradients. *Quaternary Newsletter*, **69**: 94.
- Walker, M. J., Coope, G. R. & Lowe, J. J. (1993) The Devensian (Weichselian) Lateglacial palaeoenvironmental record from Gransmoor, East Yorkshire, England. *Quaternary Science Reviews*, **12**: 659-680.

1994

- Bridgland, D. R., Allen, T., Coope, G. R., Gibbard, P. L. & Wrayton, R. (1994) Great Totham (Lofts Farm pit; TL 866092). In D. R. Bridgland (ed.), *Quaternary of the Thames*, 376-385. Chapman & Hall, London.
- Coope, G. R. (1994) Coleoptera from interglacial deposits at Trafalgar Square, London: quantified estimates of the thermal climate. In, P. L. Gibbard & T. van Kolfschoten (eds.) *INQUA-SEQS Symposium. The Eemian, local sequences, global perspectives. Volume of Abstracts*, 17. Kerkrade,
- Coope, G. R. & Wilkins, A. S. (1994) The response of insect faunas to glacial-interglacial climatic fluctuations. *Philosophical Transactions of the Royal Society of London*, **B344**: 19-26.
- Lowe, J. J., Ammann, B., Birks, H. H., Björck, S., Coope, G. R., Cwynar, L., de Beaulieu, J. L., Mott, R. J., Peteet, D. M. & Walker, M. J. C. (1994) Climatic changes in areas adjacent to the North Atlantic during the last glacial-interglacial transition (14-9 ka BP): a contribution to IGCP-253. *Journal of Quaternary Science*, **9**: 185-198.
- Lowe, J. J., Coope, G. R., Keen, D. H. & Walker, M. J. C. (1994) High resolution stratigraphy of the last glacial-interglacial transition (LGIT) and inferred climatic gradients. In, B. M. Funnell & R. L. F. Kay (eds.) *Palaeoclimate of the Last Glacial/Interglacial Cycle*, 47-52. Special Publ. **94/2**. NERC Earth Sciences Directorate, Swindon.
- Maddy, D., Coope, G. R., Gibbard, P. L., Green, C. P. & Lewis, S. G. (1994) Reappraisal of Middle Pleistocene fluvial deposits near Brandon, Warwickshire and their significance for the Wolston glacial sequence. *Journal of the Geological Society of London*, **151**: 221-233.
- Walker, M. J. C., Bohncke, S. J. P., Coope, G. R., O'Connell, M., Usinger, H. & Verbruggen, C. (1994) The Devensian/Weichselian Late-glacial in northwest Europe (Ireland, Britain, north Belgium, The Netherlands, northwest Germany). *Journal of Quaternary Science*, **9**: 109-118.

1995

- Coope, G. R. (1995) Insect faunas in ice age environments: why so little extinction? In, J. H. Lawton & R. M. May (eds.) *Extinction Rates*, 55-74. Oxford University Press, Oxford.
- Coope, G. R. (1995) The effects of Quaternary climatic changes on insect populations: lessons from the past. In, R. Harrington & N. E. Stork (eds.) *Insects in a changing environment*, 29-48. Academic Press, London.
- Coope, G. R. & Lemdahl, G. (1995) Regional differences in the Lateglacial climate of northern Europe based on coleopteran analysis. *Journal of Quaternary Science*, **10**: 391-395.
- De Rouffignac, C., Bowen, D. Q., Coope, G. R., Keen, D. H., Lister, A. M., Maddy, D., Robinson, J. E., Sykes, G. A. & Walker, M. J. C. (1995) Late Middle Pleistocene interglacial deposits at Upper Strensham, Worcestershire, England. *Journal of Quaternary Science*, **10**: 15-31.
- Lowe, J.J., Alm, T., Amman, B., Anderson, S., Anderson, T., Andrews, J.T., Austin, W., Debeaulieu, J.L., Becker, B., Behre, K.E., Berglund, B.E., Bergsten, H., Beug, H.J., Birks, H.H., Björck, S., Bohncke, S., Brande, A., Brunnberg, L., Coope, G.R., Coxon, P., Cwynar, L., Denys, L., Donner, J.J., Dugmore, A., Duplessy, J.C., Faure, H., Gaillard, M.J., Hajdas, I., Harkness, D.D., Hjartarson, A., Hoek, W., Huntley, B., Ingólfsson, Ó., Jacobsen, G., Jansen, E., Kolstrup, E., Kiden, P., Koc, N., Kromer, B., Jalut, G., Landvik, J., Lemdahl, G., Levesque, A.J., Lotter, A.F., Lundqvist, J., Mangerud, J., Mayle, F., Miller, U., Mott, R., Norddahl, H., O'Connell, M., Paus, A., Peteet, D.M., Pons, A., Reille, M., Richard, P., Saarnisto, M., Svendsen, J.I., Thors, K., Usinger, H., Vanmourik, J.M., Vasari, Y.,

- Verbruggen, C., Walker, I., Walker, M.J.C., Watts, W.A. & Wohlfarth, B. 1995: Paleoclimate of the North-Atlantic seaboard during the last glacial/interglacial transition. *Quaternary International*, **28**, 51-61
- Lowe, J. J., Coope, G. R., Sheldrick, C., Harkness, D. D. & Walker, M. J. C. (1995) Direct comparison of UK temperatures and Greenland snow accumulation rates, 15000-12000 yr ago. *Journal of Quaternary Science*, **10**: 175-180.
- 1996**
- Coope, G. R. & Lemdahl, G. (1996) Validations for the use of beetle remains as reliable indicators of Quaternary climates: a reply to the criticisms by Johan Andersen. *Journal of Biogeography*, **23**: 115-120.
- Gibbard, P. L., Aalto, M., Coope, G. R., Currant, A. P., McGlade, J. M., Peglar, S. M., Preece, R. C., Turner, C., Whiteman, C. A. & Wrayton, R. C. (1996). Early Middle Pleistocene fossiliferous sediments in the Kesgrave Formation at Broomfield Essex. In, C. Turner (ed.) *The Early Middle Pleistocene in Europe*, 83-119, A. A. Balkema, Rotterdam.
- Green, C. P., Coope, G. R., Jones, R. L., Keen, D. H., Bowen, D. Q., Currant, A. P., Holyoak, D. T., Ivanovich, M., Robinson, J. E., Rogerson, R. J. & Young, R. C. (1996) Pleistocene deposits at Stoke Goldington, in the valley of the Great Ouse, UK. *Journal of Quaternary Science*, **11**: 59-87.
- Walkling, A. P. & Coope, G. R. (1996) Climatic reconstructions from the Eemian/Early Weichselian transition in Central Europe based on the coleopteran record from Gröbern, Germany. *Boreas*, **25**: 145-159.
- 1997**
- Coope, G. R., Gibbard, P. L., Hall, A. R., Preece, R. C., Robinson, J. E. & Sutcliffe, A. J. (1997) Climatic and environmental reconstruction based on fossil assemblages from Middle Devensian (Weichselian) deposits of the River Thames at South Kensington, Central London, UK. *Quaternary Science Reviews*, **16**: 1163-1195.
- Keen, D. H., Coope, G. R., Jones, R. L., Field, M. H., Griffiths, H. I., Lewis, S. G. & Bowen, D. Q. (1997) Middle Pleistocene deposits at Frog Hall Pit, Stetton-on-Dunsmore, Warwickshire, English Midlands, and their implications for the age of the type Wolstonian. *Journal of Quaternary Science*, **12**: 183-208.
- 1998**
- Coope, G. R. (1998) Insects. In, R. C. Preece & D. R. Bridgland, *Late Quaternary environmental change in North-west Europe: Excavations at Holywell Coombe, South-east England*, 213-233. Chapman & Hall, London.
- Coope, G. R., Lemdahl, G., Lowe, J. J. & Walkling, A. (1998) Temperature gradients in northern Europe during the last glacial-Holocene transition (14-9 14C kyr BP) interpreted from coleopteran assemblages. *Journal of Quaternary Science*, **13**: 419-434.
- Gao, C., Coope, G. R., Keen, D. H. & Pettit, M. E. (1998) Middle Devensian deposits of the Ivel Valley at Sandy, Bedfordshire, England. *Proceedings of the Geologists' Association*, **109**: 127-137.
- Kasse, C., Hujzer, A. S., Krzyszkowski, D., Bohncke, S. J. P. & Coope, G. R. (1998) Weichselian Late Pleniglacial and Late-glacial depositional environments, Coleoptera and periglacial climatic records from central Poland (Belchatów) *Journal of Quaternary Science*, **13**: 455-470.
- Maddy, D., Lewis, S.G., Scaife, R. G., Bowen, D. Q., Coope, G. R., Green, D. H., Hardaker, T., Keen, D. H., Rees-Jones, J., Parfitt, S. & Scott, K. (1998) The Upper Pleistocene deposits at Cassington, near Oxford, England. *Journal of Quaternary Science*, **13**: 205-231.
- Vandenbergh, J., Coope, G. R. & Kasse, K. (1998) Quantitative reconstruction of palaeoclimates during the last interglacial-glacial in western and central Europe: an introduction. *Journal of Quaternary Research*, **13**: 361-366.
- Witte, H. J. L., Coope, G. R., Lemdahl, G. & Lowe, J. J. (1998) Regression coefficients of thermal gradients in northwestern Europe during the last glacial - Holocene transition using beetle MCR data. *Journal of Quaternary Science*, **13**: 435-446.
- Whittington, G., Connell, R. E., Coope, G. R., Edwards, K. J., Hall, A. M., Hulme, P. D. & Jarvis, J. (1998) Devensian organic interstadial deposits and ice sheet extent in Buchan, Scotland. *Journal of Quaternary Science*, **13**: 309-324.
- 1999**

- Coope, G. R., Elias, S., Miller, R. F. & Lowe, J. J. (1999) Late-glacial GRIP Event stratigraphy compared with Mutual Climatic Range temperature profiles from Coleoptera in Maritime Canada and Great Britain. *Abstracts, XV INQUA Congress, Durban, South Africa*, 45.
- Keen, D. H., Bateman, M. D., Coope, G. R., Field, M. H., Langford, H. E., Merry, J. S. & Mighall, T. M. (1999) Sedimentology, palaeoecology and geochronology of Last Interglacial deposits from Deeping St James, Lincolnshire, England. *Journal of Quaternary Science*, **14**: 411-436.
- Lowe, J. J., Birks, H. H., Brooks, S. J., Coope, G. R., Harkness, D. D., Mayle, F. E., Sheldrick, C., Turney, C. S. M. & Walker, M. J. C. (1999) The chronology of palaeoenvironmental changes during the Late Glacial-Holocene transition: towards an event stratigraphy for the British Isles. *Journal of the Geological Society*, **156**: 397-410.
- Mayle, F. E., Bell, M., Birks, H. H., Brooks, S. J., Coope, G. R., Lowe, J. J., Sheldrick, C., Shijie, L., Turney, C. S. M. & Walker, M. J. C. (1999) Climate variations in Britain during the Last Glacial-Holocene transition (15.0-11.5 cal ka BP): comparison with the GRIP ice-core record. *Journal of the Geological Society of London*, **156**: 411-423.
- Ponel, P., Coope, G. R., Andrieu-Ponel, V. & Reille, M. (1999) Coleopteran evidence for a mosaic of environments at high altitude in the Eastern Pyrénées, France during the climatic transition between the Allerød and Younger Dryas. *Journal of Quaternary Science*, **14**: 169-174.

2000

- Coope, G. R. (2000) Coleoptera from Beeston and West Runton, Norfolk. In, S. G. Lewis, C. A. Whiteman & R. C. Preece (eds.) *The Quaternary of Norfolk & Suffolk*, 73-76. Quaternary Research Association, London.
- Coope, G. R. (2000) Middle Devensian (Weichselian) coleopteran assemblages from Earith, Cambridgeshire (UK) and their bearing on the interpretation of 'Full glacial' floras and faunas. *Journal of Quaternary Science*, **15**: 779-788.
- Coope, G. R. (2000) The climatic significance of coleopteran assemblages from the Eemian deposits in southern England. *Geologie en Mijnbouw - Netherlands Journal of Geosciences*, **79**: 257-267.
- Coope, G. R. (2000) The palaeoclimatological significance of Late Cenozoic Coleoptera: familiar species in very unfamiliar circumstances. In, S. J. Culver & P. F. Rawson (eds.) *Biotic response to global change*, 303-315. Cambridge University Press, Cambridge.
- Coope, G. R. & Böcher, J. (2000) Coleoptera from the Late Weichselian deposits at Nørre Lyngby, Denmark and their bearing on palaeoecology, biogeography and palaeoclimate. *Boreas*, **29**: 26-34.
- Coope, G. R. & Cooper, J. A. (2000) Coleoptera from the upper peat bed at Horton Clay Pit, Small Dole, near Upper Beeding, West Sussex. *Proceedings of the Geologists' Association*, **111**: 247-252.
- Coope, G. R. & Elias, S. A. (2000). The environment of Upper Palaeolithic (Magdalenian and Azilian) hunters at Hauterive-Champréveyres, Neuchâtel, Switzerland, interpreted from coleopteran remains. *Journal of Quaternary Science*, **15**: 157-175.
- Gao, C., Keen, D. H., Boreham, S., Coope, G. R., Pettit, M. E., Stuart, A. J. & Gibbard, P. L. (2000) Last Interglacial and Devensian deposits of the River Great Ouse at Woolpack Farm, Fenstanton, Cambridgeshire, UK. *Quaternary Science Reviews*, **19**: 787-810.
- Howard, A. J., Keen, D. H., Mighall, T. M., Field, M. H., Coope, G. R., Griffiths, H. I. & Macklin, M. G. (2000) Early Holocene environments of the river Ure near Ripon, North Yorkshire, UK. *Proceedings of the Yorkshire Geological Society*, **53**: 31-42.
- Turney, C. S. M., Coope, G. R., Harkness, D. D., Lowe, J. J. & Walker, M. J. C. (2000) Implications for the dating of Wisconsinan (Weichselian) Late-Glacial events of systematic radiocarbon age differences between terrestrial plant macrofossils from a site in SW Ireland. *Quaternary Research*, **53**: 114-121.

2001

- Bridgland, D. R., Preece, R. C., Roe, H. M., Tipping, R. M., Coope, G. R., Field, M. H., Robinson, J. E., Schreve, D. C. & Crowe, K. (2001) Middle Pleistocene interglacial deposits at Barling, Essex, England: evidence for a longer chronology for the Thames terrace sequence. *Journal of Quaternary Science*, **16**: 813-840.
- Coope, G. R. (2001) Biostratigraphical distinction of interglacial coleopteran assemblages from southern Britain attributed to Oxygen Isotope Stages 5e and 7. *Quaternary Science Reviews*, **20**: 1717-1722.

- Hodgins, G. W. L., Thorpe, J. L., Coope, G. R. & Hedges, R. E. M. (2001) Protocol development for purification and characterization of sub-fossil insect chitin for stable isotopic analysis and radiocarbon dating. *Radiocarbon*, **43**: 199-208.
- Jost-Stauffer, M., Coope, G. R. & Schlüchter, C. (2001) A coleopteran fauna from the middle Wurm (Weichselian) of Switzerland and its bearing on palaeobiogeography, palaeoclimate and palaeoecology. *Journal of Quaternary Science*, **16**: 257-268.
- Murton, J. B., Baker, A., Bowen, D. Q., Caseldine, C. J., Coope, G. R., Curren, A. P., Evans, J. G., Field, M. H., Green, C. P., Hatton, J., Ito, M., Jones, R. L., Keen, D. H., Kerney, M. P., McEwan, R., McGregor, D. F. M., Parish, D., Robinson, J. E., Schreve, D. C. & Smart, P. L. (2001) A late Middle Pleistocene temperate-periglacial-temperate sequence (Oxygen Isotope Stages 5-7e) near Marsworth, Buckinghamshire, UK. *Quaternary Science Reviews*, **20**: 1787-1825.
- Walker, M. J. C., Briant, C., Coope, G. R., Harkness, D. D., Lowe, J. J. & Scott, E. M. (2001) Towards a radiocarbon chronology of the Late-Glacial: sample selection strategies. *Radiocarbon*, **43**: 1007-1019.

2002

- Coope, G. R. (2002) Changes in the thermal climate in Northwestern Europe during Marine Oxygen Isotope Stage 3, estimated from fossil insect assemblages. *Quaternary Research*, **57**: 401-408.
- Coope, G. R., Field, M. H., Gibbard, P. L., Greenwood, M., & Richards, A. E. (2002) Palaeontology and biostratigraphy of Middle Pleistocene river sediment in the Mathon Member, at Mathon, Herefordshire, England. *Proceedings of the Geologists' Association*, **113**: 237-258.
- Hadorn, P., Thew, N., Coope, G. R., Lemdahl, G., Hadjas, I., & Bobani, G. (2002) A Late-Glacial and Early Holocene environment and climatic history for the Neuchâtel region (CH). Équilibres et ruptures dans les écosystèmes depuis 20,000 ans en Europe de l'Ouest. Actes du colloque international de Besançon 18-22 septembre 2000. *Collection Annales Littéraires Série Environnement, Sociétés et Archéologie*, **3**: 75-90.
- Hutchinson, J. N. & Coope, G. R. (2002) Cambering and valley bulging, periglacial solifluction and Lateglacial Coleoptera at Dowdeswell, near Cheltenham. *Proceedings of the Geologists' Association*, **113**: 291-300.

2003

- Boismier, W. A., Schreve, D. C., White, M. J., Robertson, D. A., Stuart, A., J., Etienne, S., Andrews, J., Coope, G. R., Field, M. H., Green, F. M. L., Keen, D. H., Lewis, S. G., French, C., Rhodes, E., Schwenninger, J.-L., Tovey, K., Donahue, R. E., Richards, M. P. & O'Connor, S. (2003) A Middle Palaeolithic site at Lynford Quarry, Mundford, Norfolk: interim statement. *Proceedings of the Prehistoric Society*, **69**: 315-324.
- Brown, E. J. & Coope, G. R. (2003) Balglass Burn Organic Unit. In, J. A. Evans (ed.) *The Quaternary of the Western Highland Boundary*, 198-171. Quaternary Research Association, London.
- Hadjas, I., Bonani, G., Hadorn, P., Thew, N., Coope, G. R., & Lemdahl, G. (2003) Variations in atmospheric ¹⁴C content at 12,800 – 12,400 BP. Radiocarbon chronology of Late-Glacial record from Hauterive/Rouges-Terres, Lake Neuchâtel (CH). *Nuclear Instruments and Methods in Physics Research*, **B223**: 308-312.
- Merritt, J. W., Coope, G. R., & Walker, M. J. C. (2003) The Torrie Late-Glacial organic site and Auchenlaich Pit, Callander. In, D. A. Evans (ed) *The Quaternary of the Western Highland boundary, Field Guide*, 126-133, Quaternary Research Association, London.
- Walker, M. J. C., Coope, G. R., Sheldrick, C., Turney, C. S. M., Lowe, J. J., Blockley, S. P. E. & Harkness, D. D. (2003) Devensian Lateglacial environmental changes in Britain: a multi-proxy environmental record from Llanilid, South Wales, UK. *Quaternary Science Reviews*, **22**: 475-520.
- Whitehouse, N. J., Coope, G. R., Turney, C. S. M., & Vanderberg, K. (2003) The Last Glacial-Interglacial (LGIT) change in Ireland: new evidence from coleopteran records. *XVI INQUA Congress, Reno, Abstracts with Programs*, 232. Geological Society of America.

2004

- Bos, J. A. A., Dickson, J. H., Coope, G. R. & Jardine, W. G. (2004) Flora, fauna and climate of Scotland during the Weichselian Middle Pleniglacial – palynological, macrofossil and coleopteran investigations. *Palaeogeography, Palaeoecology, Palaeoclimatology*, **204**: 65-100.
- Briant, R. M., Coope, G. R. & Bateman, M. D. (2004) Podge Hole Quarry, Thorney (TF261033 - TF265033): Early Devensian sands and gravels. In, Langford, H.E. & Briant, R.M. (eds). *Nene Valley. Field Guide*, Quaternary Research Association: 130-144.

- Briant, R. M., Coope, G. R., Bateman, M. D. & Griffiths, H. I. (2004) Eye Quarry (TF273023 - TF240021): Early Devensian sands and gravels. In, Langford, H. E. & Briant, R. M. (eds). *Nene Valley*, 116-129. Field Guide, Quaternary Research Association, Cambridge.
- Briant, R. M., Coope, G. R., Preece, R. C. & Gibbard, P. L. (2004) Evidence for early Devensian (Weichselian) fluvial sedimentation: geochronological and palaeoenvironmental data from Upper Pleistocene deposits at Deeping St. James, Lincolnshire, England. *Quaternaire*, **15**: 5-15.
- Briant, R. M., Coope, G. R., Preece, R. C., Keen, D. H., Boreham, S., Griffiths, H. I., Seddon, M. B. & Gibbard, P. L. (2004) Fluvial system response to Late Devensian (Weichselian) aridity, Baston, Lincolnshire, England. *Journal of Quaternary Science*, **19**: 479-495.
- Coope, G. R. (2004) Rapid climatic change - what can we learn from history? *ESS Bulletin* **2**: 8-10.
- Coope, G. R. (2004) Several million years of stability among insect species because of, or in spite of Ice Age climatic instability. *Philosophical Transactions of the Royal Society*, **B359**: 209-214.
- Hajdas, I., Bonani, G., Hadorn, P., Thew, N., Coope, G. R. & Lemdahl, G. (2004) Radiocarbon and absolute chronology of the Late-Glacial record from Hauterive/Rouges-Terres, Lake Neuchâtel (CH). *Nuclear Instruments and Methods in Physics Research*, **B223-224**: 308-312.
- Jones, R. L., O'Brien, C. E. & Coope, G. R. (2004) Palaeoenvironmental reconstruction of the Younger Dryas in Jersey, UK Channel Islands, based on plant and insect fossils. *Proceedings of the Geologists' Association*, **115**: 43-53.
- Lewis, S.G., Parfitt, S. A., Preece, R. C., Sinclair, J., Coope, G. R., Field, M. H., Maher, B. A., Scaife, R. G. & Whittaker, J. E. (2004). Age and palaeoenvironmental setting of the Pleistocene vertebrate fauna at Norton Subcourse, Norfolk. In, D. C. Schreve (ed.) *The Quaternary mammals of Southern & Eastern England. Field Guide*, 5-17. Quaternary Research Association, London.
- 2005**
- Briant, R. M., Bateman, M. D., Coope, G. R. & Gibbard, P. L. (2005) Climatic control on Quaternary fluvial sedimentology of a Fenland Basin river, England. *Sedimentology*, **52**: 1397-1423.
- Jost-Stauffer, M., Coope, G. R. & Schlüchter, C. (2005) Environmental and climatic reconstructions during Marine Oxygen Isotope Stage 3 from Gossau, Swiss Midlands, based on coleopteran assemblages. *Boreas*, **34**: 53-60.
- Parfitt, S. A., Barendregt, R. W., Breda, M., Candy, I., Collins, M. J., Coope, G. R., Durbridge, P., Field, M. H., Lee, J. R., Lister, A. M., Mutch, R., Penkman, K. E. H., Preece, R. C., Rose, J., Stringer, C. B., Symmons, R., Whittaker, J. E., Wymer, J. J. & Stuart, A. J. (2005) The earliest record of human activity in northern Europe. *Nature*, **438**: 1008-1012.
- Ponel, P., Coope, G. R., Antoine, P., Limondin-Lozouet, N., Leroyer, C., Munaut, A.-V., Pastre, J.-F. & Guiter, F. (2005) Lateglacial palaeoenvironments and palaeoclimates from Conty and Houdancourt, northern France, reconstructed from beetle remains. *Quaternary Science Reviews*, **24**: 2449-2465.
- 2006**
- Bray, P. J., Blockley, S. P. E., Coope, G. R., Dadswell, L. F., Elias, S. A., Lowe, J. J. & Pollard, A. M. (2006) Refining mutual climatic range (MCR) quantitative estimates of palaeotemperature using ubiquity analysis. *Quaternary Science Reviews*, **25**: 1865-1876.
- Chiverrell, R., Innes, J., Thomas, G., Gonzalez, S., Roberts, D. & Coope, G. R. (2006) Emerging from the Ice Age. *New History of the Isle of Man. 1. Evolution of the natural landscape*. Chiverrell, R. C. & Thomas, G. (eds.) Liverpool, Liverpool University Press. **1**: 218-278.
- Coope, G. R. (2006) Insect faunas associated with Palaeolithic industries from five sites of pre-Anglian age in central England. *Quaternary Science Reviews*, **25**: 1738-1754.
- Green, C. P., Branch, N. P., Coope, G. R., Field, M. H., Keen, D. H., Wells, J. M., Schwenninger, J.-L., Preece, R. C., Schreve, D. C., Canti, M. G. & Glead-Owen, C. P. (2006) Marine Isotope Stage 9 environments of fluvial deposits at Hackney, north London, UK. *Quaternary Science Reviews*, **25**: 89-113.
- Lewis, S.G., Maddy, D., Buckingham, C., Coope, G. R., Field, M. H., Keen, D. H., Roe, D. A. Scaiffe, R. G. & Scott, K. (2006) Pleistocene fluvial sediments, palaeontology and archaeology of the upper River Thames at Latton, Wiltshire, England. *Journal of Quaternary Science*, **21**: 181-205.
- 2007**
- Brown, E. J., Rose, J., Coope, G. R. & Lowe, J. J. (2007) An MIS 3 age organic deposit from Balglass Burn, central Scotland: palaeoenvironmental significance and implications for the timing of the onset of the LGM ice sheet in the vicinity of the British Isles. *Journal of Quaternary Science* **22**, 295-308.

- Coope, G. R. (2007) Beetle records: Middle Pleistocene of Europe. In S. A. Elias (ed.) *Encyclopedia of Quaternary Science*, 172-179. Elsevier, Amsterdam.
- Coope, G. R. (2007) Coleoptera from the 2003 excavations of the mammoth skeleton at Niederweningen, Switzerland. *Quaternary International*, **164-165**: 130-138.
- Lemdahl, G. & Coope, G. R. (2007) Beetle records: Late Pleistocene of Europe. In, S. A. Elias (ed.) *Encyclopedia of Quaternary Science*, 190-196. Elsevier, Amsterdam.
- Langford, H. E., Bateman, M. D., Penkman, K. E. H., Boreham, S., Briant, R. M., Coope, G. R. & Keen, D. H. (2007). Age-estimate evidence for Middle-Late Pleistocene aggradation of River Nene 1st Terrace deposits at Whittlesey, eastern England. *Proceedings of the Geologists' Association*, **118**: 283-300.
- Ponel, P., Gandouin, E., Coope, G. R., Andrieu-Ponel, V., Guiter, F., Van Vliet-Lanoe, B., Franquet, E., Brocandel, M. & Brulhet, J. (2007) Insect evidence for environmental and climate changes from Younger Dryas to Sub-Boreal in a river floodplain at St-Momelin (St-Omer basin, northern France), Coleoptera and Trichoptera. *Palaeogeography, Palaeoclimatology, Palaeoecology*, **245**: 483-504.
- 2008**
- Ashton, N., Lewis, S. G., Parfitt, S. A., Penkman, E. H. & Coope, G. R. (2008) New evidence for complex climate change in MIS 11 from Hoxne, Suffolk, UK. *Quaternary Science Reviews*, **27**: 652-668.
- Briant, R. M., Gibbard, P. L., Boreham, S., Coope, G. R. & Preece, R. C. (2008) Limits to resolving catastrophic events in the Quaternary fluvial record: a case study from the Nene valley, Northamptonshire, UK. In, K. Gallagher, S. J. Jones & J. Wainwright (eds.) *Landscape evolution: denudation, climate and tectonics over different time and space scales*, 79-104. Geological Society Special Publ. **296**, London.
- Coope, G. R. & Rose, J. (2008) Palaeotemperatures and palaeoenvironments during the Younger Dryas: arthropod evidence from Croftamie at the type area of the Loch Lomond Readvance, and significance for the timing of glacier expansion during the Lateglacial period in Scotland. *Scottish Journal of Geology*, **44**: 43-49.
- 2009**
- Allen, J. R. M., Scourse, J. D., Hall, A. R. & Coope, G. R. (2009) Palaeoenvironmental context of the Late-glacial woolly mammoth (*Mammuthus primigenius*) discoveries at Condover, Shropshire, UK. *Geological Journal*, **44**: 414-446.
- Briant, R.M., Bates, M.R., Boreham, S., Cameron, N.G., Coope, G.R., Field, M.H., Keen, D.H., Simons, R.M.J., Schwenninger, J-L., Wenban-Smith, F.F. and Whittaker, J.E. (2009) Gravels and interglacial sediments at Stone Point Site of Special Scientific Interest, Lepe Country Park, Hampshire. In: Briant, R.M., Bates, M.R., Hosfield, R. and Wenban-Smith, F.F. (eds) *The Quaternary of the Solent Basin and West Sussex Raised Beaches. Field Guide*, 171-188. Quaternary Research Association, London.
- Coope, G. R. (2009) Beetles as Quaternary and Late Tertiary climate indicators. In, V. Gornitz (ed.) *Encyclopaedia of paleoclimatology and ancient environments Part 2*, 90-91. Springer, Dordrecht.
- Coope, G. R. (2009) The environment of early humans in England: what the beetles saw. In, C. Stringer & S. Bello (eds.) *Second workshop of AHOB2: ancient human occupation of Britain and its European context*, 17-18. British Museum, London.
- Preece, R. C., Parfitt, S. A., Coope, G. R., Penkman, K. E. H., Ponel, P. & Whittaker, J. E. (2009) Biostratigraphic and aminostratigraphic constraints on the age of the Middle Pleistocene glacial succession in north Norfolk, UK. *Journal of Quaternary Science*, **24**: 557-580.
- Roe, H. M., Coope, G. R., Devoy, R. J. N., Harrison, R. J. N., Penkman, K. E. H., Preece, R. C. & Schreave, D. C. (2009) Differentiation of MIS 9 and MIS 11 in the continental record: vegetational, faunal, aminostratigraphic and sea-level evidence from coastal sites in Essex, UK. *Quaternary Science Reviews*, **28**: 2342-2373.
- 2010**
- Candy, I., Coope, G. R., Lee, J. R., Parfitt, S. A., Preece, R. C., Rose, J. & Schreave, D. C. (2010) Pronounced warmth during early Middle Pleistocene interglacials: Investigating the Mid-Brunhes Event in the British terrestrial sequence. *Earth-Science Reviews*, **103**: 183-196.
- Coope, G. R. (2010) Beetles in Ice Age Scotland. *BRISC Newsletter*, **78**: 9-10.
- Coope, G. R. (2010) Coleopteran faunas as indicators of interglacial climates in central and southern England. *Quaternary Science Reviews*, **29**: 1507-1514.

- Coope, G. R. (2010) Coleoptera from the Cromerian type site at West Runton, Norfolk, England. *Quaternary International*, **228**: 46-52.
- Parfitt, S. A., Ashton, N. M., Lewis, S. G., Abel, R. L., Coope, G. R., Field, M. H., Gale, R., Hoare, P. G., Larkin, N. R., Lewis, M. D., Karloukovski, V., Maher, B. A., Peglar, S. M., Preece, R. C., Whittaker, J. E. & Stringer, C. B. (2010). Early Pleistocene human occupation at the edge of the boreal zone in northwest Europe. *Nature*, **466**: 229-233.
- Parfitt, S. A., Coope, G. R., Field, M. H., Peglar, S. M., Preece, R. C. & Whittaker, J. E. (2010) Middle Pleistocene biota of the early Anglian 'Arctic Fresh-water Bed' at Ostend, Norfolk, UK. *Proceedings of the Geologists' Association*, **121**: 55-65.
- 2011**
- Coope, G. R. (2011) Coleoptera from the Bytham palaeoriver channels at Brookby, Leicestershire. In, C. Stringer, N. Ashton & S. Bello (eds.) *1st workshop of AHOB3: Ancient human occupation of Britain. Dispersal of early humans: adaptations, frontiers and new territories*, 7-8. British Museum, London.
- 2012**
- Branch, N. P., Batchelor, C. R., Cameron, N. G., Coope, G. R., Densem, R., Gale, R., Green, C. P. & Williams, A. N. (2012). Holocene environmental changes in the Lower Thames Valley, London, UK: Implications for understanding the history of *Taxus* woodland. *The Holocene* **22**(10): 1143-1158.
- Coope, G. R. (2012). The insect remains. In, F. Coward, W. A. Boismier & C. Gamble, *Neanderthals among mammoths: excavations at Lynford Quarry, Norfolk*, 75-94. London, English Heritage.
- 2013**
- Briant, R. M., Bates, M. R., Boreham, S., Coope, G. R., De Schepper, S., Field, M. H., Wenban-Smith, F. & Whittaker, J. E. (2013) Palaeoenvironmental reconstruction from a decalcified interglacial sequence in the former Solent river system at St Leonard's Farm, Hampshire, England. *Quaternary Newsletter*, **130**, 23-40.

Compiled by Paul C Buckland, 2013.